LIST OF CONTENTS

NUMBER 1

M. A. Diab, A. Z. El-Sonbati, A. S. Hilali, H. M. Killa and M. M. Ghoneim	1	Polymer complexes—X. Polymerization of methyl methacrylate in the presence of some transition metal chlorides
M. Talu and H. B. Özgün	5	Alkaline hydrolysis of poly(ethyl acrylate) and styrene–ethyl acrylate copolymer
Oya Şanlı	9	Homogeneous hydrolysis of polyacrylonitrile by potassium hydroxide
M. Pocci, N. Picci, V. Bertini, A. De Munno and F. Lucchesini	15	Synthesis of tailor-made copolymers containing free or protected catechol residues for selective flocculation of mineral dispersions
Hitoshi Kubota, Hiroaki Kozai and Yoshitaka Ogiwara	21	Effect of carbazole/tetracyanoethylene binary sensitizer on photografting of methacrylic acid on polyethylene film
Lamies A. Shahada and W. James Feast	25	Metathesis ring opening polymerization of 5,6-bis-(chloromethyl)bicyclo[2.2.1]hepta-2-ene
Masaharu Asano, Masaru Yoshida, Hironobu Fukuzaki, Minoru Kumakura, Tooru Mashimo, Hisako Yuasa, Kyoichi Imai and Hidetoshi Yamanaka	29	Effect of crystallinity on the *in vivo* degradation of poly(β-propiolactone) prepared by radiation-induced solid polymerization in organic solvent system at low temperature
W. M. Brouwer, M. van der Vegt and P. van Haeren	35	Particle surface characteristics of permanently charged poly(styrene–cationic comonomer) latices
J. C. Bevington, D. A. Cywar, T. N. Huckerby, E. Senogles and D. A. Tirrell	41	Reactivities of monomers towards the 1-phenylethyl radical
A. Daro, M. Trojan, R. Jacobs and C. David	47	Degradation of polymer blends—IV. Natural weathering of blends of low density with linear low density polyethylene
M. Camps, J. P. Monthéard, F. Benrokia, J. M. Camps et Q. T. Pham	53	Bromation hétérolytique du polystyrène en phase homogene—I. Etude R.M.N. ^{13}C et ^{1}H de la régiosélectivité de la bromation
Huang Jinyu, Bingzheng Jiang and Guo Qipeng	61	Morphology and properties of polypropylene/ethylene–dimethylaminoethyl methacrylate copolymer blends
Guo Qipeng, Xu Hechang, Ma Dezhu and Wang Shuxiang	67	Miscible blends of poly(ethylene oxide) and an amorphous copolyester-polyurethane
H. Sivriev, S. Georgiev and G. Borissov	73	Phosphorus-containing polyurethanes, prepared by N-modification
J. C. Gressier	77	Synthèse de polyacrylates dithiocarboxyliques—II. Homo et copolymérisation d'acrylates fonctionnalisés
Marie-Florence Grenier-Loustalot, Franck Metras, Philippe Grenier, Jean-Yves Chenard et Patrick Horny	83	Mécanismes réactionnels, cinétique et structure du reseau de systèmes thermodurcissables type TGDDM–DDS
F. M. Aliev, K. S. Pojivilko and V. N. Zgonnik	101	SAXS and DSC: studies of surface and size effects for poly(vinyl stearate)
A. I. Mikhailov and S. I. Kuzina	105	Kinetic inhomogeneity of diffusion and solubility of gases in polymers at low temperatures

NUMBER 2

Mihai Darângă, Victor Bulacovschi and Camelia Mihailescu	117	Copolymerization of phenylacetylene and 2-methyl-3-butyn-2-ol
Masaru Yoshida, Tsutomu Yokota, Masaharu Asano and Minoru Kumakura	121	Active functional polymer microspheres—1. Copoly(1-methacryloxybenzotriazole/acrylonitrile)
C. Chevrot	127	Préparation d'oligomères fonctionnalisables du poly[4-4′(*p*-biphénylène) amide] par électrosynthèse catalytique
Sang Jin Park, Byung Kyu Kim and Han Mo Jeong	131	Morphological, thermal and rheological properties of the blends polypropylene/nylon-6, polypropylene/nylon-6/(maleic anhydride-g-polypropylene) and (maleic anhydride-g-polypropylene)/nylon-6
P. G. Demertzis, K. A. Riganakos and K. Akrida-Demertzi	137	Study of compatibility of PVC and polyester-type plasticizer blends by inverse gas chromatography
P. Uznański, A. Wojda and M. Kryszewski	141	Phototransformation of merocyanine forms of spiropyrans in amorphous polymeric media
Takao Iijima, Masao Tomoi, Junichi Yamasaki and Hiroshi Kakiuchi	145	Toughening of epoxy resins by modification with acrylic elastomers containing pendant epoxy groups
Hiroshi Tanaka and Kiyohide Takagi	153	Temperature dependence of proton spin-lattice and spin-spin relaxation times of highly stretched isotactic polypropylene film
Paolo Corradini, Roberto Napolitano and Beniamino Pirozzi	157	Geometrical and energetical analysis of the chain conformations of syndiotactic polystyrene in the crystalline state
V. N. Tsvetkov, L. N. Andreeva, A. V. Lezov and N. V. Tsvetkov	163	Electric birefringence in polybutylisocyanate solutions
L. M. Rincon-Rubio, C-E. Wilen and L-E. Lindfors	171	A kinetic model for the polymerization of propylene over a Ziegler–Natta catalyst
Michéle Bolte et Michel Troquet	177	Optimisation de la caractérisation de polymères hydrosolubles par chromatographie a perméation de gel: utilisation de plans d'expériences, une méthode rapide et efficace
M. V. Eskina, A. S. Khachaturov, L. B. Krentsel and A. D. Litmanovich	181	On the structure of chlorinated natural rubber. ^{1}H- and ^{13}C-NMR data
M. P. Ivanova and D. L. Kotzev	189	Cyanoacrylate-containing copolymers as compatibilizing agents for poly(styrene-co-acrylonitrile)/poly(methyl methacrylate) blends
A. Vigier, G. Lachenal, M. Escoubes et B. Chabert	191	Influence des conditions d'élaboration (avec ou sans solvant) sur les interactions de l'eau avec un composite polyépoxyde/carbone
Daniel Abraham, K. E. George and D. Joseph Francis	197	Rheological characterization of blends of low density with linear low density polyethylene using a torque rheometer
David A. Boscott and Roy S. Lehrle	201	Rubber-to-brass adhesion performance improved by epoxidation of the rubber
C. F. Cullis, M. M. Mirschler and M. A. A. M. Khattab	207	Mechanisms of action of some sulphates as flame retardants for cellulose

Contents

Vlado Tabacik et Marc J. M. Abadie 215 Contrôle quantitatif de la formation de polyacétylènes *cis* et *trans* par ajustement de deux paramètres de catalyse homogène Ziegler–Natta

Yoichi Shindo, Hiromasa Sato, Tokuko Sugimura, Kazuyuki Horie and Itaru Mita 221 Photocrosslinking of polymers containing cinnamoyl groups: the effect of molecular weight of copolymers on the reaction in solutions

V. L. Rao and G. N. Babu 227 Copolymerizations of methyl α-bromoacrylate, 2-bromoethyl methacrylate and 2,3-dibromopropyl methacrylate with vinyltriacetoxysilane

Short Communications

F. E. Okieimen, I. N. Uroghide and C. O. Oriakhi 233 Graft copolymerization in aqueous isopropanol of methyl methacrylate on plantain pulp modified with allyl chloride

Norman S. Allen, Michele Ledward and Gordon W. Follows 237 Luminescence analysis of triscycloalkenobenzene species in nylon-6,6

J. R. Allan, B. R. Carson, D. L. Gerrard and J. Birnie 241 A study of the performance of some first row transition metal complexes of 2-(p.tolyl)pyridine and 4-aminoquinaldine as colouring materials for polystyrene

Michel Mayen and Murielle Drouin 245 The relation between the swelling of a network and the intrinsic viscosity of its precursor polymer

NUMBER 3

M. D. Blanco, J. M. Teijón and I. Katime 249 Total and preferential sorption of poly(ethyl methacrylate) in the binary solvent mixture ethyl acetate/iso-propanol

Levent Toppare, Lemi Tüker, Semih Yiğit, Duygu Kisakürek and Ural Akbulut 255 Electro-initiated polymerization of bis-(2,4,6-tribromophenoxo) ethylenediamine copper(II) complex in DMF and its kinetic study by cyclic voltammetry

A. H. Kehayoglou and I. Arvanitoyannis 261 Copolymers of anionic polymerization of octanelactam with laurolactam (nylon-8/12 copolymers)—I. Preparation and general properties

El-Sayed M. E. Mansour, Sherif H. Kandil, Hammed H. A. M. Hassan and Mohammed A. E. Shaban 267 Synthesis of carbohydrate-containing polyamides and study of their properties

J. Pavlinec, I. Lacík and M. Lazár 277 Low temperature free radical polymerization initiated by the system t-butyl hydroperoxide–acetone–sulphonic acid of low or high molecular weight

Xu Jianmin and Zhang Linxi 281 The ratio $\langle S^{2p} \rangle / \langle R^{2p} \rangle$ for linear polymer chains

A. Aboutaybi, J. Bouzon and J. M. Vergnaud 285 Drying at room temperature of plasticized PVC previously immersed in liquids. Modelling and experiments

A. Chapiro et N. Schmitt 293 Réticulation du poly(vinyl-1-imidazole) en solution sous irradiation gamma

M. D. Fernández and G. M. Guzmán 301 Cellobiose–Ce(IV) as a redox initiating system for aqueous polymerization of methyl methacrylate

Contents

J. Foks, H. Janik and R. Russo — 309 Morphology, thermal and mechanical properties of solution-cast polyurethane films

M. Gleria, F. Minto, P. Bortolus, W. Porzio and S. V. Meille — 315 Photochemical behaviour of poly(organophosphazenes)—part VIII. Further investigations on the sensitized photochemistry of poly[bis(4-isopropylphenoxy)phosphazene]

F. P. La Mantia, M. Saiu, A. Valenza, M. Paci and P. L. Magagnini — 323 Relationships between mechanical properties and structure for blends of nylon-6 with a liquid crystal polymer

C. A. Barson and Y. M. Dong — 329 A modified radiotracer technique for measuring solvent diffusion with zero concentration gradient through polymer films

Fabienne Poncin-Epaillard, Bruno Chevet and Jean-Claude Brosse — 333 Functionalization of polypropylene by a microwave (433 MHz) cold plasma of carbon dioxide. Surface modification or surface degradation?

Neil A. Weir, Jerzy Arct and Kenneth Whiting — 341 Studies of the photochemistry of poly(*p*-propionylstyrene)

G. Vancso — 345 Translational diffusion coefficient and diffusion average molar mass of polydisperse polymers in solution

B. V. Kokta, D. Maldas and A. Kuruvilla — 349 Graft copolymerization of nitrogen oxide treated thermomechanical pulp

Guo Qipeng, Xiang Liang, Huang Jinyu, Chen Tianlu and Wang Kuiren — 355 The effect of acetalation on the tensile properties of attapulgite–phenolphthalein poly(ether ether ketone) composites

Rade I. Stanković, Robert W. Lenz and Frank E. Karasz — 359 Electrical conductivity of iodine doped poly(butadiene-co-2-vinyl pyridine) diblock copolymers

Lubomír Šimek, Stanislav Petřík, František Hadobaš and Miloslav Bohdanecký — 371 Melting points of symmetric oligomeric triblock copolymers (type PEP) of ethylene and propylene oxides

Lubomír Šimek, Stanislav Petřík, František Hadobaš and Miloslav Bohdanecký — 375 Solubility in water of triblock (PEP) copolymers of ethylene and propylene oxides

Announcement — i

NUMBER 4

Kenji Kamide, Shigenobu Matsuda and Hironobu Shirataki — 379 Comparison of two direct methods for estimating the cloud point curve of quasi-binary systems consisting of multicomponent polymers dissolved in a single solvent

C. Decker et K. Moussa — 393 Photopolymérisation de monomères multifonctionnels—III. Analyse cinétique par spectroscopie infrarouge résolue dans le temps (RTIR)

K. G. Neoh, E. T. Kang and K. L. Tan — 403 Chemical copolymerization of aniline with halogen-substituted anilines

A. E. H. Gheid, N. Fertikh, A. Mansour and D. Messadi — 409 Phenomenological study of the transfers between a plasticizer dispersed in a plastic disc and sunflower oil

Contents

Thomas A. Wielema and Jan B. F. N. Engberts	415	Zwitterionic polymers—II. Synthesis of a novel series of poly(vinylbetaines) and the effect of the polymeric structure on the solubility behaviour in water
K. K. Chee	423	Determination of polymer–polymer miscibility by viscometry
A. A. Kim, M. M. Karimov and U. N. Musaev	427	Fixation of organic dications by poly(methacrylic acid)
M. C. González and F. Zamora	431	Degradation of dinitrated-poly(*N*-vinylcarbazole) by thermogravimetry
F. Zamora, M. C. González and L. M. León	435	Degradation of partially mononitrated-poly(*N*-vinylcarbazole) by thermogravimetry
R. Paladhi and R. P. Singh	441	The effect of molecular weight on adiabatic compressibility and solvation number of polymer solutions
K. F. Weyts, E. J. Goethals, W. M. Bunge and C. J. Bloys van Treslong	445	A new Mark–Houwink equation for linear poly(ethylene imine)
C. A. Barson and Y. M. Dong	449	Diffusion and swelling studies of ethanol and ethyl laurate with dry polypropylene and polyethylene terephthalate films using a radiotracer technique
C. A. Barson and Y. M. Dong	453	Diffusion of ethanol and ethyl laurate through preswelled polypropylene films using a radiotracer technique
Hironobu Fukuzaki, Masaru Yoshida, Masaharu Asano, Yoshikazu Aiba and Minoru Kumakura	457	Direct copolymerization of glycolic acid with lactones in the absence of catalysts
P. Coronado, C. Fernandez-Sanchez, J. G. Rodriguez and A. Alberola	463	Ziegler–Natta polymerization of 3-methoxy-4-phenylbut-1-ene with the heterogeneous catalyst $AlEt_3$–VCl_3: influence of pyridine as donor ligand
Moriyuki Sato, Noboru Tomihisa, Fujio Komatsu, Toshio Yahata and Yukiyoshi Shoji	467	Synthesis and liquid crystal properties of thermotropic copolycarbonates composed of biphenyl and diphenylpropane moieties
Sabyasachi Sinha Roy, Achintya K. Kundu and Sukumar Maiti	471	Polymers from renewable resources—13. Polymers from rosin acrylic acid adduct
Md. Safikur Rahman and Sukumar Maiti	475	New conducting polymers—II. Characterization and thermal stability of poly(*P*-phenyl acetylenic phosphine)
Maria Liouni, Costas Touloupis, Nikos Hadjichristidis and Jimmy W. Mays	479	Viscosity–temperature relationships for dilute solutions of linear and star polyisoprenes
Short Communications		
Savas Küçükyavuz and Turgut Nugay	485	Radiation induced copolymerization of trioxane and maleic anhydride
Patrick J. Mann, Shao Wen, Yin Xiaonan and William T. K. Stevenson	489	A modified Ubbelohde viscometer with improved dilution characteristics
P. E. M. Allen, S. Hagias, A. M. Hounslow and D. R. G. Williams	493	A physical ageing effect observed in the 60 kHz domain of melt-cast poly(methyl methacrylate) by CPPEMAS ^{13}C-NMR relaxation measurements

Contents

NUMBER 5

Z. Kubaitis, A. Jurevichiute and A. E. Chalykh 495 The possibility of investigating saturation processes using a generalized expression of the process rate constant

Martine Tessier and Ernest Marechal 499 Synthesis of α-phenyl-ω-anhydride oligoisobutylene and α,ω-dianhydride oligoisobutylene

Jaroslav Stehlíček, Zdeněk Tuzar, Krzysztof Kazmierski, Jan Šebenda and Julian Chojnowski 509 The preparation of copolymers with polydimethylsiloxane and polycaprolactam blocks by the anionic polymerization of caprolactam

Marc J. M. Abadie, Daouya Ourahmoune et Hocine Mendjel 515 Synthèse et caractérisation de copolymères séquencés par transformation du centre actif. Etude des passages radicalaire–cationique et anionique–radicalaire

Leszek Woliński, Konrad Witkowski and Zbigniew Turzyński 521 Interactions in liquid–crystal side-chain polymer solutions—1. Evidence for mesophase formation in solution

David Hartill, Ian W. Parsons and Anthony D. Caunt 529 Novel polymerization catalysts for ethene based upon magnesium chloride supported vanadium chlorides

R. Wycisk, W. M. Trochimczuk and J. Matys 535 Polyethylene–polystyrene blends

Trudy G. Carswell, David J. T. Hill, David S. Hunter, Peter J. Pomery, James H. O'Donnell and Catherine L. Winzor 541 Simultaneous measurement by ESR spectroscopy of monomer conversion and radical concentration during polymerization for determination of kinetic parameters

Paolo Amat Di San Filippo, Maria Benedetta Fadda, Antonello Rescigno, Augusto Rinaldi and Enrico Sanjust Di Teulada 545 A new synthetic polymer as a support for enzyme immobilization

Jadwiga Matuszewska-Czerwik and Stefan Połowiński 549 Template photopolymerization of methacrylic acid—II. Photopolymerization of methacrylic acid on poly(vinyl-pyrrolidone) in aqueous systems

Masamitsu Shirai, Hiroshi Moriuma and Makoto Tanaka 553 Photosensitive poly(crown ether)–picrate complexes and photoinduced release of picrate

Bernard Boutevin et Jean-Jacques Robin 559 Synthèse de copolymères greffés à base de polyéthylène et leurs applications aux colles Hot-melt et aux primaires d'accrochage

Cristofor I. Simionescu, Valeria Harabagiu, Eugenia Comăniţă, Viorica Hamciuc, Diana Giurgiu and Bogdan C. Simionescu 565 Synthesis of silicone–vinyl block copolymers

I. Diaconu, C. Ciobanu and Cr. I. Simionescu 571 Properties of urethane elastomers—III. Depolarization currents from unsaturated polyurethanes based on 4,4′-diphenylmethane diisocyanate

V. N. Tsvetkov, A. V. Lezoy, N. V. Tsvetkov and L. N. Andreeva 575 Electric birefringence in solutions of rigid-chain aromatic polyamides

Frank Heatley, Ga-er Yu, Wen-bo Sun, Elizabeth J. Pywell, Richard H. Mobbs and Colin Booth 583 Triad sequence assignment of the ^{13}C-NMR spectra of copolymers of ethylene oxide and 1,2-butylene oxide

Contents

NUMBER 6

Bronisław Jańczuk, Wiesław Wójcik and Tomasz Białopiotrowicz	593	Interpretation of the contact angle in polytetrafluoroethylene–aliphatic alcohol solutions–air system
Bronisław Jańczuk, Wiesław Wójcik and Tomasz Białopiotrowicz	599	The influence of aqueous methanol film on the wettability of polytetrafluoroethylene
M. J. Guest and J. H. Daly	603	Dynamic mechanical spectroscopy of blends of bisphenol-A polycarbonate with styrene–acrylonitrile copolymers
Stephen J. Clarson, Zaiming Wang and James E. Mark	621	Effect of stannous 2-ethylhexanoate on the network formation and chain extension reactions of α,ω-dihydroxy terminated poly(dimethylsiloxane)
M. Edge, N. S. Allen, M. Hayes, P. N. K. Riley, C. V. Horie and J. Luc-Gardette	623	Mechanisms of deterioration in cellulose nitrate base archival cinematograph film
C. Passingham, P. J. Hendra, M. E. A. Cudby, V. Zichy and M. Weller	631	The re-evaluation of multiple peaks in the DSC melting endotherm of isotactic polypropylene
Thomas A. Wielema and Jan B. F. N. Engberts	639	Zwitterionic polymers—III. Salt effects on the solubility of poly(vinyl sulphobetaines) and poly(vinyl betaines) in aqueous solution
Kenneth F. O'Driscoll and Junfu Huang	643	The rate of copolymerization of styrene and methyl methacrylate—II. The gel effect in copolymerization
R. Solaro, A. Altomare and F. Ciardelli	649	^{13}C-NMR study of radical copolymers of (−)-menthyl methacrylate with *trans*-4-methacryloyloxyazobenzene
Zuhal Küçükyavuz and Nawash Al-Ghezawi	653	An experimental study of the dipole moment of poly(dimethylsiloxane)
K. Chowdoji Rao, S. Venkata Naidu and A. Varada Rajulu	657	Acoustical parameters of poly(vinyl pyrrolidone) in *N,N*-dimethyl formamide solutions
Akira Matsumoto, Tsukasa Matsumoto, Hiroyuki Inoue, Masayoshi Oiwa and Hiroyasu Saito	661	Steric effect on the radical polymerization of triallyl isocyanurate: possibility of chain length enlargement in allyl polymerization
L. A. Hanna, P. J. Hendra, D. A. Hodgson, G. Ellis, M. A. Taylor and H. A. Willis	667	The molecular structure of flowing polymer melts
Rade I. Stanković, Robert W. Lenz and Frank E. Karasz	675	Electrical conductivity of poly(butadiene-co-2-vinyl pyridine) diblock copolymers doped with TCNQ
Yoichi Shindo, Tokuko Sugimura, Kazuyuki Horie and Itaru Mita	683	Photocrosslinking of polyimide containing benzophenone unit: intra- and intermolecular reactions in solution
Y. Benito, J. G. Rodriguez, J. G. Baeza, C. Fernandez-Sanchez and M. R. Gomez-Anton	689	Synthesis and polymerization of 2-vinylquinoline and 2-vinylnaphthalene with $AlEt_3$–VCl_3: influence of pyridine as donor ligand
Aurelio de Chirico	695	Dual detector for determination of molecular weight distributions of polystyrene and poly(2,4 dimethyl 1,4 phenylene ether) in blends by gel permeation chromatography

Short Communications

Takao Usami, Yukari Kogawa, Shigeru Takayama and Toshiyuki Koyama 699 Spectroscopic studies of the oxidation of poly(2,6-dimethyl-1,4-phenylene ether) as a function of molecular weight

S. Packirisamy and Manoj Gupta 703 Citraconic end-capped amide–imide precursor

E. A. Lissi and K. Yupanqui 707 Effect of anthracene derivatives on the radical polymerization of styrene

S. H. Goh and Lee Shern Lim 711 Miscibility of poly(2,6-dimethyl-1,4-phenylene oxide) with poly(*p*-methylstyrene-co-acrylonitrile)

S. H. Goh and S. Y. Lee 715 Miscibility of poly(chloromethyl methacrylate) with poly(*p*-methylstyrene-co-acrylonitrile)

Corrigendum 719

NUMBER 7

Raman Bahulekar, R. S. Ghadage, Surendra Ponrathnam and N. R. Ayyangar 721 Synthesis and ^{13}C-NMR studies of polystyrenes of controlled molecular weights

Ligia Gargallo, Alejandra Opazo and Deodato Radić 727 Copolymers of maleic anhydride with monooctyl itaconate. Synthesis, characterization and viscometric behaviour

B. Pucci, J. M. Lacombe, E. Guy, N. Rakotomanomana, M. Faurie, J. C. Maurizis et A. A. Pavia 731 Télomères et cotélomères d'interet biologique et biomedical—III. Télomères hydrosolubles porteurs de greffons acide chromone: synthèse et étude pharmacocinétique

D. Derouet et J. C. Brosse 739 Modification chimique des polydiènes par les composés du type CX_3Z—III. Etude du phénomène de cocatalyse dans le cas de l'addition du tétrachlorure de carbone catalysée par le dichlorure de *tris*-(triphénylphosphine)ruthénium II

D. Derouet et J. C. Brosse 753 Modification chimique des polydiènes par les composés du type CX_3Z—IV. Influence de l'oxygène sur l'addition du tétrachlorure de carbone sur le polybutadiène-1,2, catalysée par le dichlorure de *tris*(triphénylphosphine)ruthénium II

M. Acevedo, J. de Abajo and J. G. de la Campa 763 Curing of nadimide end-capped oligoesters

María Jesús Parets, Rosa García, Vicente Soria and Agustín Campos 767 Solution properties of polyelectrolytes—V. Viscometric study of mixed polyanions in pure water

J. Niezette, J. Vanderschueren, G. Yianakopoulos and V. Desreux 775 Temperature dependence of the viscosity of dilute solutions of poly(2-chlorophenyl methacrylate) and poly(2,4,5-trichlorophenyl methacrylate) in various solvents

E. V. Korneeva, I. N. Shtennikova, V. P. Shibaev, S. I. Klenin, G. F. Kolbina, I. V. Ekaeva and S. A. Didenko 781 Conformational properties of hydroxypropylcellulose—I. Hydrodynamic properties and equilibrium rigidity of its macromolecules

I. N. Shtennikova, G. F. Kolbina, V. P. Shibaev and I. V. Ekaeva 787 Conformational properties of hydroxypropylcellulose—II. Flow birefringence and optical anisotropy of hydroxypropylcellulose macromolecules

Hans R. Kricheldorf, Bernd Schmidt and Ulrich Delius 791 New polymer syntheses—41. Synthesis of thermoplastic aromatic poly(ether–amides)s from silylated aminophenols

Contents

Hans R. Kricheldorf and Bernd Schmidt 799 New polymer syntheses—43. Polyamides derived from aryloxy- or arylthioterephthalic acids and aliphatic diamines

Rafael Gavara, Clara Gomez, Agustín Campos and Bernardo Celda 805 Predictability of properties of ternary systems solvent/solvent/polymer from interaction parameters of the binary systems—III. Analysis of binary potential functions forming ternary ones

C. P. Reghunadhan Nair, M. C. Richou, P. Chaumont and G. Clouet 811 Anomalous chain transfer behaviour of β-aminomercaptans in the radical polymerizations of acrylates

Wagner S. Carvalho and Rosario E. S. Bretas 817 Thermoplastic/carbon fibre composites: correlation between interphase morphology and dynamic mechanical properties

Ghouti Medjahdi, Dominique Sarazin and Jeanne Francois 823 Light scattering behaviour of semi-dilute solutions of polyacrylamide

Announcement i

NUMBER 8

Kazumichi Imasaka, Tsuneji Nagai, Masaru Yoshida, Hironobu Fukuzaki, Masaharu Asano and Minoru Kumakura 831 Direct copolycondensation of ϵ-caprolactone with δ-valerolactone in the absence of catalysts

Md. Nazimuddin, A. R. Das, B. M. Mandal and S. N. Bhattacharyya 837 Some observations on the magnetic field effect on photoinitiated emulsion polymerization of styrene

P. E. M. Allen, S. Hagias, D. R. G. Williams and E. H. Williams 841 The absorption of methanol by poly(methyl methacrylate). Special morphological effects observed with beads prepared by suspension polymerization

N. I. Zhitariuk and N. I. Shtanko 847 Influence of some factors on radiation grafting of styrene on poly(ethylene terephthalate) nuclear membranes

Richard J. Elwell and Richard A. Pethrick 853 Positron annihilation studies of poly(methyl methacrylate) plasticized with dicyclohexyl phthalate

L. Fontaine, D. Derouet et J. C. Brosse 857 Polyesters phosphoriques supports de molécules actives—III. Synthèse des esters phosphoriques cycliques monomères du type alkoxy(aminoalkyl)-2 méthyl-4 oxo-2 dioxaphospholanne-1,3,2

L. Fontaine, D. Derouet et J. C. Brosse 865 Polyesters phosphoriques supports de molécules actives—IV. Homopolymérisation et copolymérisation de monomères du type alkoxy(aminoalkyl)-2 méthyl-4 oxo-2 dioxaphospholanne-1,3,2

J. C. Bevington, D. A. Cywar, T. N. Huckerby, E. Senogles and D. A. Tirrell 871 Reactivities of monomers towards the 1-phenylethyl radical: monomers with low ceiling temperatures

B. Boutevin, Y. Hervaud et M. Nouiri 877 Addition de thiols fluores sur les polybutadiènes hydroxytéléchéliques par voie photochimique

Yu. D. Semchikov, L. A. Smirnova, T. Ye. Knyazeva, S. A. Bulgakova and V. I. Sherstyanykh 883 Dependence of copolymer composition upon molecular weight in homogeneous radical copolymerization

Yu. D. Semchikov, N. N. Slavnitskaya, L. A. Smirnova, V. I. Sherstyanykh, T. G. Sveshnikova and T. I. Borina 889 The influence of preferential sorption upon the copolymerization of vinylpyrrolidone with vinyl acetate

H. Ohtani, T. Yuyama, S. Tsuge, B. Plage and H.-R. Schulten 893 Study on thermal degradation of polystyrenes by pyrolysis–gas chromatography and pyrolysis–field ionization mass spectrometry

Yousif Z. Yousif, Aubrey D. Jenkins, David R. M. Walton and Jasim M. A. Al-Rawi 901 Novel ioneneomeric polymer liquid crystals

H. Haidara, M. F. Vallat, J. Schultz et P. Lutgen 907 Films polymères métallises: mesure de l'adhésion polymère–métal

R. R. Joshi and S. K. Gupta 911 Synthesis, characterization and biotoxicity study of α-methyl *p*-acryloyloxy tributyltin benzoate monomer and polymer

V. F. Kurenkov, T. A. Baiburdov and L. L. Stupenkova 915 Adiabatic polymerization of acrylamide in aqueous solutions in the presence of hydrolyzing agent

C. F. Cullis, A. M. M. Gad and M. M. Hirschler 919 The use of metal chelates as flame retardants and photostabilizers for polypropylene

A. Jurevichiute, Z. Kubaitis and A. E. Chalykh 929 Water sorption by size films

Short Communications

John H. Daly 933 Morphological changes in polyethylene films induced by processing: a dynamic mechanical study

Rita Vasishtha and A. K. Srivastava 937 Polymerization of vinyl acetate initiated by p.nitrobenzyl triphenylphosphonium ylide

NUMBER 9

B. Schneider, P. Schmidt, M. Marek Jr, J. Straka, B. Bednář and J. Králíček 941 i.r. and ^{13}C-CP–MAS–NMR spectra of pyromellitide and of its precursor based on 4,4′-diaminodiphenylmethane

Amar H. Al-Dujaili, Riadth J. A. Shalash and Thair S. Yasagh 947 Preparation and characterization of liquid crystalline poly(Schiff base) polymers

El-Sayed M. E. Mansour, Sherif H. Kandil, Hammed H. A. M. Hassan and Mohammed A. E. Shaban 951 Synthesis and characterization of carbohydrate-containing copolyhydrazides and copolyoxadiazoles

A. Trochimczuk, J. Pielichowski and B. N. Kolarz 959 Thermogravimetric analysis of acrylonitrile–butyl acrylate–divinylbenzene macroporous terpolymers

J. R. Allan, G. M. Baillie, J. G. Bonner, D. L. Gerrard and J. Birnie 963 A study of the performance of cobalt(II), nickel(II) and copper(II) complexes of maleic acid as colouring materials for poly(vinyl chloride) and polystyrene

Guy Rabilloud and Bernard Sillion 967 1,7-Dicarba-closo-dodecaborane(12) polymers—I. *Meta*-carboranylene-bridged aromatic polyazomethines

Guy Rabilloud and Bernard Sillion 977 1,7-Dicarba-closo-dodecaborane(12) polymers—II. *Meta*-carboranylene-bridged poly(2,3-dihydrobenzothiazoles)

Christopher Johnstone, Alan Hooper and Richard A. Pethrick 987 Polymer electrolytes based on a dimethylsiloxane–polyethylene oxide copolymer

Neil A. Weir and Kenneth Whiting 991 Photoreactions of poly(vinylacetophenone) in solution

J. J. Herpels and L. Mascia	997	Effects of styrene–acrylonitrile/butadiene ratio on the toughness of polycarbonate/ABS blends
Hasmukh S. Patel and Mahesh D. Prajapati	1005	Polymerizable dyes—Part I
Hans R. Kricheldorf and Petra Jahnke	1009	LC–poly(imide)s—4. Poly(ester imide)s derived from naphthalene-1,4,5,8-tetracarboxylic acid, ω-amino acids and α,ω-dihydroxy-alkanes and their low molecular weight models
S. Djekhaba and J. Guillot	1017	Batch emulsion copolymers styrene with ethyl acrylate: microstructure and glass transition temperature
Bernard Boutevin, Jean-Pierre Parisi et Philippe Vaneeckhoutte	1027	Cinétique de cotélomérisation—partie I. Lois de variation du $\overline{DP}_{ni}$ en fonction des constantes cinétiques en cotélomérisation
F. Lugadet, A. Deffieux et M. Fontanille	1035	Synthèse de polybutadiènes nitrés hydroxytéléchéliques par nitromercuration–démercuration—II. Etude de la démercuration et caractérisation des polybutadiènes nitrés
N. S. Allen, S. J. Hardy, A. F. Jacobine, D. M. Glaser, B. Yang and D. Wolf	1041	Photopolymerization activity of perester derivatives of fluorenone and benzophenone: a real time FTIR and differential photocalorimetric study

NUMBER 10

D. Acierno, G. Demma, F. P. La Mantia, E. Martuscelli, V. Romano and A. Valenza	1049	Rheological properties and morphology in LLDPE and PC based blends
Nguyen Viet Bac, Levon Terlemezyan and Marin Mihailov	1055	Oxidation of natural rubber and its derivatives prepared by epoxidation and subsequent hydrobromination
D. Benrabah, M. Mouzali, J. Y. Sanchez and F. Lemoigne	1061	Polymérisation et copolymérisation par voie cationique de *N*-alkyl-phenyl-2 aziridines
Thomas A. Wielema and Jan B. F. N. Engberts	1065	Zwitterionic polymers—IV. Pyrene as a photophysical probe for Coulombic interactions in poly(vinylsulphobetaines)
F. Rietsch and B. Bouette	1071	The compression yield behaviour of polycarbonate over a wide range of strain rates and temperatures
F. Rietsch	1077	Strain-induced crystallization of oriented poly(ethylene terephthalate): influence on the tensile yield stress behaviour
I. Goodman and R. J. Sheahan	1081	Copolyesteramides—V. Hexamethylene adipamide/hexamethylene adipate random and ordered copolymers: preparation and general properties
I. Goodman and R. J. Sheahan	1089	Copolyesteramides—VI. Hexamethylene adipamide/hexamethylene adipate random and ordered copolymers: molecular aspects
G. G. Cameron, M. D. Ingram and K. Sarmouk	1097	Conductivity and viscosity of liquid polymer electrolytes plasticized by propylene carbonate and tetrahydrofuran
V. N. Tsvetkov, A. V. Lezov, N. V. Tsvetkov and L. N. Andreeva	1103	Kerr effect in solutions of cellulose carbanilate in polar solvents

Contents

J. Horský and M. Bohdanecký 1109 Association of EPDM molecules in solutions

Peter H. Plesch and Sarkis H. Shamlian 1113 The propagation rate constants of the cationic polymerization of alkenes—part III. Indene, two vinyl ethers and general discussion

Issa A. Katime, José R. Quintana and Luis C. Cesteros 1121 Interactions of polystyrene with n-alkanes in benzene solution

P. Lambrinos, M. Tardi, A. Polton and P. Sigwalt 1125 The mechanism of the polymerization of n.butyl acrylate initiated with *N,N*-diethyl dithiocarbamate derivatives

Fang Chen, Vincent J. McBrierty and Shannong Zhu 1137 A study of molecular motions in grafted PIB and grafted EP copolymer using NMR and DSC

Y. F. Chong, S. Y. Lee and S. H. Goh 1145 Miscibility of poly(acetonyl methacrylate) and poly(n-propyl methacrylate) with poly(vinylidene fluoride)

Short Communications

S. H. Goh 1149 Miscibility of bisphenol-A polycarbonate with *p*-methylstyrene/acrylonitrile copolymers

J. R. Allan, B. R. Carson, D. L. Gerrard and J. Birnie 1153 The performance of some first row transition metal complexes of succinic and adipic acids as colouring materials for polystyrene

D. J. T. Hill, D. I. Londero, J. H. O'Donnell and P. J. Pomery 1157 Polymerization of diethylene glycol bis(allyl carbonate) at 85°C

NUMBER 11

L. Minkova, M. Velikova and D. Damyanov 1161 Morphology of the supermolecular structure of high-molecular weight polyethylene filled during polymerization on the catalyst system $TiCl_4$–$(C_2H_5)_2AlCl$–$(C_6H_5)_2Mg$

Baki Hazer 1167 Cationic polymerization of tetrahydrofuran initiated by difunctional initiators. Synthesis of block copolymers

Alok Kumar Tyagi, Veena Choudhary and I. K. Varma 1171 Copolymerization studies of alkyl methacrylates—I

Guo Qipeng, Fan Shixia and Zhang Qingyu 1177 Polyurethanes from 2,4-toluene diisocyanate and a mixture of castor oil and hydroxyether of bisphenol-A

Zhang Linxi and Xu Jianmin 1181 Dynamics of the improved body-centred cubic lattice model for polymer chains

F. M. B. Coutinho and R. C. A. Cid 1185 Styrene–divinylbenzene copolymers—formation of porous structure by using precipitants as diluents in suspension polymerization

F. M. B. Coutinho, M. I. N. Siqueira and C. R. Barbosa 1189 Synthesis and characterization of copolymers based on 2-vinylpyridine and divinylbenzene

Hong-Quan Xie, Xin-Hua Liu and Jen-She Guo 1195 Polymers with uniform polyoxyethylene side-chains and ionomers made from them

Kazimiera Suchocka-Gałaś 1203 The state of ion aggregation in ionomers based on copolymers of styrene and acrylic acid—I. Thermal studies

Contents

Y. F. Chong, S. Y. Lee and S. H. Goh	1207	Miscibility of poly(acetonyl methacrylate) with some chlorine-containing polymers
Wei Chen and Ger. Challa	1211	Oxidative coupling polymerization of 2,6-dimethylphenol catalysed by copper(II) complexes of *N*-methylimidazole
Adrian F. A. Wallis and Ross H. Wearne	1217	Side reactions of phenylisocyanate during amine-catalysed carbanilation of cellulose
R. S. Bains, P. A. Cusack and A. W. Monk	1221	A comparison of the fire-retardant properties of zinc hydroxystannate and antimony trioxide in brominated polyester resins containing inorganic fillers
N. S. Allen and A. M. Richards	1229	Spectroscopic, photochemical and photoconductive properties of a novel fluorescent polymeric complex of quinizarin and aluminium
N. S. Allen, C. Peinado, E. Lam, J. L. Kotecha, F. Catalina, S. Navaratnam and B. J. Parsons	1237	Photochemistry of 2-acetoxy and 2-acryloxythioxanthone and copolymers with methylmethacrylate: a conventional and laser flash photolysis study
C. H. Bamford	1245	The group-termination coefficient in the analysis of polymerizations with size-dependent termination coefficients—explicit expressions for molecular weight distributions
J. J. López-Caminos, C. Fernández-Sánchez and J. G. Rodriguez	1255	Polymerizations of 4-methoxy-4-phenylbut-1-ene and 4-chloro-4-phenylbut-1-ene with the heterogeneous catalyst $AlEt_3$–VCl_3: influence of donor ligands
Joaquín Barberá, Enrique Meléndez, Fernando Navarro and José L. Serrano	1259	A study of the structure–mesomorphism relationship in some polymers and low-molecular-weight model compounds
Announcement	i	

NUMBER 12

A. Chapiro et Z. Mankowski	1267	Influence des solvants sur la copolymérisation du vinyl-1-imidazole avec le styrène et l'acrylonitrile
Hironobu Fukuzaki, Masaru Yoshida, Masaharu Asano, Minoru Kumakura, Kazumichi Imasaka, Tsuneji Nagai, Tooru Mashimo, Hisako Yuasa, Kyoichi Imai and Hidetoshi Yamanaka	1273	Synthesis of biodegradable copoly(L-lactic acid/aromatic hydroxyacids) with relatively low molecular weight
T. Sato, K. Morine, H. Tanaka and T. Ota	1279	High temperature polymerization of methyl phenylethyl itaconate
Th. Philipps and W. Borchard	1289	A new method for measuring specific refractive index increments
Takuya Naito, Kazuyuki Horie and Itaru Mita	1295	Photochemistry in polymer solids—10. Photoisomerization of 1,1′-azonaphthalene in a polycarbonate film
D. Derouet, P. Phinyocheep, J. C. Brosse et G. Boccaccio	1301	Synthèse d'élastomères photoréticulables par modification chimique du caoutchouc naturel liquide—I. Introduction de l'anhydride maléique sur les structures polyisoprèniques

Contents

D. Derouet, P. Phinyocheep, J. C. Brosse et G. Boccaccio 1313 Synthèse d'élastomères photoréticulables par modification chimique du caoutchouc naturel liquide—II. Etude de l'ouverture du cycle succinique par les alcools photopolymérisables

Dominique Fromageot, Jacques Lemaire et Daniel Sallet 1321 Photo-oxydation de polyamides aliphatiques N-substitués par des groupements alkyles

Guo Qipeng 1329 Completely miscible ternary blends—1. Poly(hydroxyether of bisphenol-A)–poly(vinyl methyl ether)–poly(ϵ-caprolactone)

Guo Qipeng 1333 Completely miscible ternary blends—2. Poly(epichlorohydrin)–poly(methyl methacrylate)–poly(vinyl acetate)

P. N. Lavrenko, O. V. Okatova, S. V. Vinogradova, A. L. Rusanov and I. I. Ponomarev 1337 Hydrodynamic properties and equilibrium rigidity of poly(naphthoylene imidobenzimidazole) molecules in concentrated sulphuric acid

Norman S. Allen, Edward Lam, Edward M. Howells, Peter N. Green, Arthur Green, Fernando Catalina and Carmen Peinado 1345 Photochemistry and photopolymerization activity of novel 4-alkylaminobenzophenone initiators—synthesis, characterization, spectroscopic and photopolymerization activity

K. P. J. Williams and D. L. Gerrard 1355 The degradation of poly(vinyl chloride) studied using Fourier Transform Raman spectroscopy

S. Laoubi and J. M. Vergnaud 1359 Modelling the process of absorption and desorption of water by coatings made of epoxy resin